


### ILLINOIS ENVIRONMENTAL PROTECTION AGENCY Division of Air Pollution Control--Field Operations Section



DATE:

April 29, 1987

Date of Inspection: April 13, 1987

TO:

M. Zamco-APC-Spfld Rever Last Insp. Date: July 18, 1986

FROM: R. Jennings/W. Kahila Region/Distirct: II/201

SUBJECT: Facility: Allied Iron and Steel Co.

I.D. #:\_\_\_\_ 143 065 ALY

Address: 2900 W. Clarke, Peoria, Illinois 61607

Contact/Title: See below

309/637-7756 Phone:

PRE-INVESTIGATION STATUS: Other - (J) Special Request INSPECTION FINDINGS: No Violation - TAS Checked

Form 177

Persons contacted: John Miller - Mgr. Harold Miller - Owner Persons doing inspection: Wayne Kahila - IEPA - DAPC John Tripses - IEPA - DLPC Andrew Miles - Radian Corp.

This facility is a scrap metal yard that mostly handles automobiles in a shredder. It also has a copper wire incinerator that burns insulation off the wires in order to recover the copper.

The purpose of this inspection was to take samples of ash from the incinerator in order to analyze the samples for dioxin contamination. Andrew Miles took three samples of ash from inside the incinerator and one soil sample from about four feet from the incinerator. The samples were taken on April 13, 1987.

John Miller said that they get wire from individuals such as electricians who may have got some old wire from remodelling jobs. This facility also burns some electric motors to recover the copper. No transformers have ever been handled. The incinerator is operated about 15 to 20 times per year. The last time it was operated was February 18, 1987.

There was no wire on site on the day of this inspection. A. Miller and Co. has another site in Peoria where the wire is collected. No incineration is done at this second site. We went to this second site, A. Miller and Co., 1612 S.W. Adams St., Peoria, IL 61602, and talked to Harold Miller. We saw a small pile of wire that will be sent to the Clarke Street site for incineration. This wire was various sizes from about #14 to #1.

The Incineration Inspection Report Form is attached. Photos attached.

WOK/1b 0136F

cc:-J. Tripses

W. Kahila

-D. Hayden

J. Benson

-ID #143 065 ALY (all w/attachment)



# ILLINOIS ENVIRONMENTAL PROTECTION AGENCY INCINERATOR INSPECTION REPORT

INCINERATOR NO LONG INCINERATOR HAS BE DATE APRIL 13 1987 DI	FN DISMANTLED []
Incinerator was shut down on: Date hecklist needs to be filled out as much as D	
AGENCY IDENTIF	
LPC SITE MO.	APC 10 HO.  143 065 ALY  APC CONSTRUCTION PERMIT NO.
LPC OPERATING PERMIT NO.	APC OPERATING PERMIT NO. TAS SOURCE NO. 80010078
UNIT IDENT	IFICATION
COMPANY NAME  ALLIED IRON AND STEEL CO.  LOCATION ADDRESS	PERSON CONTACTED  JOHN MILLER  TITLE
2900 W. CLARKE ST.	MANAGER TELEPHONE
PEORIA, 12 61602	309 637 7756
RCRA STATU	S SUMMARY
IS THIS INCINERATOR SUBJECT TO RCRA? O YES TO O 7  DOES THIS FACILITY GENERATE A RCRA LISTED WASTE? O YES O NO  PRESENT DISPOSAL METHODS FOR LISTED RCRA WASTES?  RECYCLE TO  LANDFILL  SPECIFY OTHER  INSPECTORS  LPC  DATE	WHAT OPTIONS ARE BEING CONSIDERED TO MEET ACRA INCINERATION REGULATIONS?  AIR POLLUTION CONTROL EQUIPMENT? O YES O NG 99.99% DRE  0.08 gr/dscf part. 950% E.AO · O Z S  99% HC1 removal APC DATE
ATTACH	FER 13
O PP INCINERATOR DESCRIPTION	O PP WASTE ANALYSIS REPORTS
O PPAIR POLLUTION CONTROL EQUIPMENT DESCRIPTION	O PP ANALYSIS OF RESIDUE
O PP HAP OF SENSITIVE POPULATIONS LOCATIONS	O PP PLOT PLAN WITH INCINERATOR LOCATION, BUILDING LOCATIONS & HEIGHT, AND PLANT BOUNDRY
O PP INCINERATOR DRAWINGS O PP FOS INSPECTION REPORT	O PP STACK TEST REPORTS
ADDITIONAL MATERIA	LS TO BE RECEIVED
LIST ITEMS AND EXPECTED DATES	

TELL.	
INCINERATOR	DESCRIPTION P. 2
FUNCTIONAL NAME OF INCINERATOR	
COPPER WIRE BURNER	MODEL NO. SERIAL HO.
EMISSIONS CONTROL CORP.	T100
DESCRIPTION OF INCIN	ERATOR'S OPERATION
IS THIS INCINERATOR CONNECTED DIRECTLY TO ANY MANUFACTURING PROCESS? OYES KNO	IF "YES" GIVE THE NAME OF THE PROCESS(ES)
PHYSICAL STATE OF WASTE STREAMS FROM PROCESS(ES)?  O GAS O LIQUID O SOLID	
TS THERIUM STORAGE USED? OYES ONO	AVERAGE GENERATION RATES
CAPACITY LIQUID GAL. SCLIDYDS	GAS SCFM LIQUID GAL/HR SOLID LB/HR
OTHER WASTE MATERIALS INCINERATED RCRA NO.	APC WASTE TYPES BURNED  GENERAL REFUSE PATHOLOGICAL INDUSTRIAL PROCESS HOSPITAL  TYPE 0 1 2 3 4 5 GAS/LIQ 6 SOLID 7  OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO
<b>∵</b> .	LIST AMOUNT INCINERATED BY TYPE
MEASUREMENTS O	F INCINERATOR
BASIC DESIGN SINGLE CHAMBER O MULTIPLE CHAMBER O KILN	SHELL CONSTRUCTION OBRICK SETEEL SHELL
CHAMBER ARRANGHENT	MAXIMUM REFRACTORY TEMPERATURE RATING?
O INLINE O RETORT	PRIMARY CHAMBEROF SECONDARY CHAMBEROF
PRIMARY COMBUSTION CHAMBER SIZE?	SECONDARY COMBUSTION CHAMBER SIZE?
HEIGHT 5 FT LENGTH 5 FT WIDTH 5 FT VOLUME 25FT3 HEARTH AREA?	HEIGHT FT LENGTH FT WIDTH FT VOLUME FT3  FLAME PORT AREA?
GRATE AREAT	DOWN PASS7
25 cm² LENGTH 5 FT WIDTH 5 FT	BREECHING AREA? FT LENGTH
"AIN WALL PORT AREA?	BREECHING AREA?  FT LENGTH FT WIDTH FT
HORIZONTAL FLOW DISTANCE?	TYPE GRATE?  O FIXED O MOVING
BOTTEM ASH REMOVAL SYSTEM?	ASH FIT VOLURE?
MANUAL O SCREW CONVEYER O OTHER	YDS
SOLID REFUSE CHARGING METHOD?	SIZE CHARGING VOLUMET
TUDYED (	FT <sup>3</sup>
BURNER	
AFTER BURNER !	MAXIMUM HEAT INPUT CAPACITY OF EACH UNIT:  7 9 1 / h 1,000,000 BTU/hr TIPE FUEL OIL ATOMIZATION?
TYPE FUEL(S) USED? #2 DIESEL C. NATURAL GAS BISTILLATE OUL O RESIDUAL OIL	O PRESSURE PSIG PAIR - PSIG O STEAM - PSIG
O NATURAL GAS BISTILLATE OIL O RESIDUAL OIL INDIVIDUAL BURNER TURNDOWN-RATIOT OR HODULATION RANGET	BURNER ALIGNMENT?
NUMBER OF SECONDARY AUXILARY FUEL BURNERS?	O AXIAL O OFF-AXIS O TANGENTIAL MAXIMIMUM HEAT INPUT OF EACH UNIT?
TYPE FUEL(S) USED?	TYPE FUEL DIL ATOMIZATION?
O NATURAL GAS O DISTILLATE DIL O RESIDUAL DIL	O PRESSURE PSIG O AIR - PSIG O STEAH - PSIC

PERCENT OF TOTAL AIR INTRODUCED THROUGH PRIMARY BURNERST

O ANIAL OFF-ANIS TANGENTIAL PERCENT OF TOTAL AIR INTRODUCED THROUGH SECONDARY BURNERS?

#### LIQUID WASTE INJECTION

LIQUID WASTE INJECTION RATE	BURNER MFG. MODEL NUMBER
TYPE ATOMIZATION O INJECTOR O ROTARY CUP O AIR O STEAM	NUMBER OF INJECTORS OR BURNERS & LOCATION (ON AXIS, OFF-AXIS, TANGENTIAL):
LOCATION OF BURNERSIN KILNIN PRIMARY CHAMBER SECONDARY CHAMBER	
AIR POLLUTIO	N EQUIPMENT
TYPE OF CONTROL EQUIPMENT: OCYCLONE OSCRUBBER OBAGHOUSE	SCRUBBER PRESSURE DROPINCHES WATER COLUMN ADJUSTABLE RANGE
CYCLONE DIAMETERINCHES NO. OF UNITS	SCRUBBENT FLOW RATEGPM
PRESSURE DROPINCHES W.C. ATACFM	DEMISTER PRESSURE DROPINCHES WATER COLUMN
BAGHOUSE SIZEFT <sup>2</sup> FABRIC AREA CLEANING METHOD: OSHAKER OPULSE JET	PH CONTROL METHOD:
FABRICF	SCRUBBENT BLOWDOWN RATEGPM
COOLING METHOD:	SCRUBBER SLUDGE DISPOSAL METHOD:
AMOUNT OF QUENCH WATER USED:GAL/1000cF	PARTICULATE REMOVAL;  MAX. OPERATION
FLY ASH DISPOSAL METHOD:	ACID GAS REMOVAL: MAX.CONTROL EFFICIENCY
PRIME I	MOVER
ENERGY SOURCE: O ELECTRIC O STEAM	RATED HORSEPOWER OF MOTOR FOR EACH FAN
TYPE OF FAN: O FORWARD CURVED O BACKWARD CURVED	NUMBER OF FANS:
FAN MEG: MODEL NUMBER	FAN DIAMETER(FT) FAN WIDTH(IN)
·	
STACK PAR	RAMETERS
MAIN STACK:	AVG. FLOW 1136 ACFM AVG. TEMPERATURE 20.5 °F
HEIGHT 5 FT DIAMETER FT	MAX.FLOW 1136 ACFM MAX.TEMPERATURE 205 °F
EMERGENCY STACK:  HEIGHTFT DIAMETERFT	AVG.FLOWACFM AVG.TEMPERATUREOF
	MAX.FLOWACFM MAX.TEMPERATUREOF
AIR EM	ISSIONS .
AVERAGE PARTICULATE EMISSIONS:  0.16 LB/HR 0.025 GR/SCF27302	MAXIMUM PARTICULATE EMISSIONS: _O.16 lb/HR _O.02.5GR/SCF97%02
AVERAGE HYDROCHLORIC ACID EMISSIONSLB/HR	MAXIMUM HYDROCHLORIC ACID EMISSIONSLB/HR
AVERAGE NAME AMOUNT HAZARDOUS EMISSIONS:	MAXIMUM NAME AMQUNT HAZARDOUS EMISSIONS:
<del></del>	

## STACK MONITORING


		<del></del> .		P9
STACK MONITORS	MANUFACTURER	MODEL NO.	DATA RECORDED	SET_RANGE
OPACITY O YES ONO		-	OYES ONO	
OXYGEN O YES QNO			OYES ONO	
CARBON MONOXIDE O YES DEN	0		O YES O NO	PPM
TOTAL HYDROCARBON O YES	yho		O YES O NO	PPM
TEMPERATURE:				
PRIMARY CHAMBER OYES AN	0		OYES ONO	°F
SECONDARY CHAMBER OYES	NO		O YES O NO	°F
CONTROL EQUIPMENT OYES	≽NO		OYES ONO	°F
STACK OYES GENO			OYES ONO	°F
•				
·	INCINEDATOD ODEDAT	ING CONTROL SYSTEM	<del></del>	
IS PRIMARY CHAMBER TEMPERAT			ROL: FOLLOW IN	4 STRUCTIONS
O	YES O NO	METHOD OF CONT	VFACTURER.	
	YES ONO	1		
ARE ALL LIQUID WASTE BURNER	S CONTROLLED TO STOP FLOW		CY STACK CONTROLLED CONTROL EQUIPMENT:	
IF FLAME IS LOST: O YES	O NO	JEMPERATURE IN	CONTROL EGOTFMENT.	0 163 0 110
	PERIODIC ANALYSIS OF	WASTE & RESIDUE		
SOURCE OF SAMPLE	ANALYSIS PROCEDURE	ANALYSIS ON-SITE OFF-S	ITE FREQUENCY O	F_ANALYSIS
,				
				·
•				
•				
	INCINERATION OPE		ON-0175	
ARE WASTE AMOUNTS RECORDED:	O YES SCNO	WASTES STORED	ON-SITE:	0
ARE INCINERATOR PARAMETERS	RECORDED: O YES SONO	BLENDING ACTIV	TITY: O YES & N	0 *
FREQUENCY INFORMATION IS RE	CORDED:	IS MAINTENANCE	INFORMATION RECORDE	
			O YES 18KN	0
	FACILITY E	VALUATION		
FORMAL PERSONNEL TRAINING P			INGENCY PLAN AVAILAB	ILE:
O YES	KNO O SCHEDULED		O YES 🎉 N	
OPERATING MANUAL AVAILABLE:	STYES ONO	ON SITE SECURE	OYES TO N	10

					<u>F, J</u>
	PLEASE SKETCH STORAGE CONTAINER LOCATIONS, SIZE OR AMOUNT, SUCH AS SECONDARY CONTAINMENT AND SEWER DRAINS SHOULD ALSO	PIPING CONNECTION, BE NOTED.	PUMPS AND	RATE.	FEATURES
_					
	•				
			•		
	WASTE RIENDING FA	rii ity		<del></del> .	

PLEASE SKETCH A FLOW DIAGRAM AND NOTE EQUIPMENT AND PROCEDURES USED TO PRODUCT A BLENDED WASTE FOR THE INCINERATOR. TANK SIZE, MIXER HORSEPOWER, PUMP RATES ETC., SHOULD BE INCLUDED.

										P. 6
NO.	MATERIAL (DESCRIPTION)	PHASE SOLID LIQ. GAS	HEAT CONT. BTU/LB	SOLID CONT.	VIS. SSU	ASH WT%	CL WT7	RCRA NO. TABLE	DEST.EFF.	POHC INDEX FORMULA
									: {	: •
									! !	•
				-					; ! !	
								:	l 1	
				 					] !	i
			ТҮР	ICAL BOTTOM A	sh ana	LYSIS	<u></u>	<u> </u>	<u>!</u>	
		<del></del>	TYP	ICAL FLY ASH	ANALYS	IS		···		
_ =										
	<del></del>		TYPICA	L SCRUBBER SL	IIDGE A	NALYS	IS			
	<del></del>									·
	•									

DIAGRAM OF AREA
(Showing Direction & Distance to Exposed Population)



#### COMMENTS

ITEM -	REMARKS .
·	
·	
	•